

Wavin

Pricelist CPVC-C0325

(Canada)

March 2025, Supersedes CPVC-0424R



# FlowGuard Gold®

FlowGuard Gold® Pipe & Fittings

CPVC Specialty Fittings



**BOW** Groupe  
de Plomberie Inc.





## NOTICE

**BOW FLOWGUARD GOLD® PIPES ARE SOLD PER CRATE QUANTITIES ONLY**

Bag quantities shown on this list are for reference purposes only

**BOW FLOWGUARD GOLD® FITTINGS ARE SOLD PER CARTON QUANTITIES ONLY**

Inner Quantities shown on this list are for reference purposes only

Licensee holder Bow Plumbing Group, Inc.

# Contents


<b>CPVC CTS Pipe</b>	<b>04</b>
Lengths	04
Coupling	05
Bushing	05
90° Elbow	05
Street 90° Elbow	05
45° Elbow	05
Street 45° Elbow	05
Cap	05
Tee	05
Reducing Tee	05
<b>CPVC CTS Fittings</b>	<b>06</b>
Reducing Tee	06
Union (Hub x Hub)	06
Male Adapter (CPVC MPT x CPVC Hub)	06
Female Adapter (CPVC MPT x CPVC Hub) Washer Included	06
Drop Ear Elbow (2 Ears)	06
Drop Ear Elbow (3 Ears) Washer Included	06
<b>CPVC Specialty Products</b>	<b>07</b>
No-Lead Male Adapter Brass	
Threaded (CPVC FPT x CPVC Hub)	07
No-Lead Female Adapter Brass	
Threaded (Brass FPT x CPVC Hub)	07
No-Lead Drop Ear Elbow ( Brass FPT x CPVC Hub)	07
CPVC Hub x Copper Sweat	07
CPVC Adapter (CPVC Hub x Copper Pex Barb)	07
Transition Adapter Tailpiece "O - Ring"	07
Line Stop (CPVC Hub x CPVC Hub)	07
Stop & Waste with Drain (Hub x Hub)	07
Boiler Drain (Hub x Hose Thread)	07
Boiler Drain (FTP x Hose Thread)	07
BALL VALVES CPVC (Hub x CPVC Hub)	07
Stops (No lead)	07
<b>Notes</b>	<b>08</b>
<b>Conditions of Sale</b>	<b>10</b>
<b>Warranty</b>	<b>11</b>



# CPVC CTS Pipe

C-23 MULTIPLIER

With High Durability and Impact Resistance for Hot or Cold Water Applications  
Complies with CSA B137.6 and ASTM D2846  
Listed for Flame Spread (0) and Smoked Developed Ratings (25) CAN/ULC - S102.2M  
Working pressure 100 psi at 82°C / 180°F (400 psi at 23°C / 73°F)



Lengths				SOLD PER CRATE QUANTITIES ONLY			
Dimension Nominal	Dimension O.D.	Item	Lengths	Feet Per Bag	Feet Per Crate	Price Per 100'	
1/2"	.625	585083	10'	500'	20,000'	184.20	
		585018	20'	1000'	20,000'	184.20	
3/4"	.875	585174	10'	250'	10,000'	304.35	
		585190	20'	500'	10,000'	304.35	
1"	1.125	585216	10'	280'	5,600'	594.00	
		585224	20'	280'	5,600'	594.00	
1 - 1/4"	1.375	585265	10'	180'	3,600'	812.94	
		585364	20'	200'	4,000'	812.94	
1 - 1/2"	1.625	585273	10'	120'	3,000'	1110.60	
		585372	20'	160'	3,200'	1110.60	
2"	2.125	585281	10'	80'	1,600'	1980.93	
		585380	20'	100'	2,000'	1980.93	



# CPVC CTS Fittings

C-11 MULTIPLIER

For use with CPVC tube size pipe for hot or cold water applications.

Complies with CSA B137.6 and ASTM D2846.

Working pressure 100 psi at 82°C / 180°F (400 psi at 23°C / 73°F)

## Coupling

(Hub x Hub)



Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520114	25	500	0.84
3/4"	520122	25	250	1.56
3/4" IPS x 3/4" CTS	520171	25	250	3.00
3/4" x 1/2"	520130	25	250	1.82
1"	520155	10	100	4.66
1" IPS x 1" CTS	520221	25	100	5.52
1" x 3/4"	520163	10	100	5.27
1"-1/4"	520189	10	50	6.64
1"-1/2"	520197	10	50	9.73
2"	520205	5	25	15.99

## Bushing

(Spigot x Hub)



Dimension	Item	Inner Pack	Box Qty	List Price
1/2" IPS x 1/2" CTS	522581	10	100	6.14
3/4" x 1/2" CTS	520213	25	250	1.12
3/4" IPS x 3/4" CTS	522599	10	100	6.39
1" x 1/2" CTS	520254	10	100	5.27
1" x 3/4" CTS	520247	10	100	5.27
1" IPS x 1" CTS	520262	10	100	7.11
1-1/4" x 1/2" CTS	520734	10	50	6.95
1-1/4" x 3/4" CTS	520270	10	50	6.83
1-1/4" x 1" CTS	520288	10	50	6.83
1-1/4" IPS x 1-1/4" CTS	522649	10	100	8.81
1-1/2" x 1/2" CTS	522508	10	100	9.02
1-1/2" IPS x 1-1/2" CTS	520742	10	50	11.05
1-1/2" x 3/4" CTS	520304	10	50	9.02
1-1/2" x 1" CTS	520320	10	50	9.02
1-1/2" x 1-1/4" CTS	520312	10	50	9.02
2" x 1/2" CTS	522516	10	50	14.38
2" x 3/4" CTS	522524	10	50	14.38
2" x 1" CTS	520338	5	25	14.38
2" x 1-1/4" CTS	520759	5	25	14.38
2" x 1-1/2" CTS	520346	5	50	14.38
2" IPS x 2" CTS	522631	10	100	12.89

## 90° Elbow

(Hub x Hub)



Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520437	25	500	1.11
3/4"	520460	25	250	2.04
3/4" x 1/2"	520478	25	250	2.63
1"	520486	10	100	5.86
1"-1/4"	520494	10	50	10.34
1"-1/2"	520502	10	50	16.62
2"	520510	5	25	32.23



## Street 90° Elbow

(Hub x Spigot)


Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520445	25	500	1.27
3/4"	520452	25	250	2.39
1"	563239	10	100	5.24



## 45° Elbow

(Hub x Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520544	25	500	1.27
3/4"	520551	25	250	3.00
1"	520569	10	100	7.01
1-1/4"	520577	10	50	14.38
1-1/2"	520585	10	50	22.67
2"	520593	5	25	38.18



## Street 45° Elbow

(Hub x Spigot)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520528	25	500	2.61
3/4"	520536	25	250	3.16
1"	563288	10	100	4.16



## Cap (Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520353	25	500	0.85
3/4"	520361	25	250	1.82
1"	520379	10	100	4.00
1-1/4"	520387	10	50	4.44
1-1/2"	520395	10	50	8.11
2"	520403	5	25	14.14



## Tee

(Hub x Hub x Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520007	25	500	1.33
3/4"	520015	25	250	2.62
1"	520023	10	100	7.37
1-1/4"	520031	10	50	21.05
1-1/2"	520049	10	50	27.32
2"	520056	5	25	37.69



## Reducing Tee

(Hub x Hub x Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2" x 1/2" x 3/4"	520833	25	500	3.61
3/4" x 1/2" x 1/2"	520098	25	250	4.06
3/4" x 1/2" x 3/4"	520072	25	250	4.06
3/4" x 3/4" x 1/2"	520064	25	250	3.27
3/4" x 3/4" x 1"	520841	25	17.91	
1" x 1/2" x 1/2"	520858	25	17.91	
1" x 1/2" x 3/4"	520866	25	17.91	
1" x 1/2" x 1"	520874	25	12.65	
1" x 3/4" x 1/2"	520882	25	17.91	

SOLD PER CARTON QUANTITIES ONLY

Inner Pack quantities shown are for reference use only

# CPVC CTS Fittings

C-11 MULTIPLIER

For use with CPVC tube size pipe for hot or cold water applications.  
Complies with CSA B137.6 and ASTM D2846.  
Working pressure 100 psi at 82°C / 180°F (400 psi at 23°C / 73°F)



## Reducing Tee

(Hub x Hub x Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1" x 3/4" x 3/4"	520890		25	17.91
1" x 3/4" x 1"	520908		25	12.65
1" x 1" x 1/2"	520916		25	7.03
1" x 1" x 3/4"	520106		25	9.23
1-1/4" x 1" x 1/2" 1"	521005		25	34.85
1-1/4" x 1" x 3/4"	521013		25	27.88
1-1/4" x 1" x 1"	521021		25	34.72
1-1/4" x 1" x 1-1/4"	521039		25	27.88
1-1/4" x 1-1/4" x 1/2"	521047		25	28.02
1-1/4" x 1-1/4" x 3/4"	521054		25	27.88
1-1/4" x 1-1/4" x 1"	521062		25	27.88
1-1/4" x 1-1/4" x 1-1/2"	521070		25	39.12
1-1/2" x 1" x 1"	521203		25	45.36
1-1/2" x 1-1/2" x 1/2"	521286		25	37.44
1-1/2" x 1-1/2" x 3/4"	521294		25	36.33
1-1/2" x 1-1/2" x 1"	521302		25	36.33
2" x 2" x 1/2"	521633		25	57.33
2" x 2" x 3/4"	521641		25	52.07
2" x 2" x 1"	521658		25	57.33
2" x 2" x 1-1/2"	521674		25	52.07



## Union

(Hub x Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520817	10	50	16.85
3/4"	520825	10	50	21.47
1"	522656	5	25	53.29



## Male Adapter

(CPVC MPT x Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520601	25	250	1.15
1/2" x 3/4" Reducing	520767	25	250	2.65
3/4"	520627	25	250	2.17
1"	520635	10	100	6.05
1-1/4"	520643	10	50	7.60
1-1/2"	520650	10	50	9.36
2"	520668	5	25	15.47



## Female Adapter

(CPVC FPT x Hub) Washer Included

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520684	25	250	3.99
3/4"	520692	25	250	5.31
1"	520700	10	100	5.91

ⓘ For connection to non-metallic threaded fittings.  
Use a positive seal system with straight thread.



## Drop Ear Elbow

(2 ears)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2" (Hub x Hub)	520429	25	250	2.74



## Drop Ear Elbow

(3 ears) Washer Included

Dimension	Item	Inner Pack	Box Qty	List Price
1/2" (Hub x FPT)	520411	25	250	5.01

ⓘ When connecting to metallic threads, and where large temperature fluctuations are likely, we recommend metallic transition adapters.

SOLD PER CARTON QUANTITIES ONLY  
Inner Pack quantities shown are for reference use only

# CPVC Specialty Products

C-14 MULTIPLIER



## No-Lead Male Adapter Brass Threaded (Brass MPT x CPVC Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	524009	10	100	11.14
3/4"	524017	10	50	13.35
1"	524025	5	25	33.20
1-1/4"	524033	2	10	81.24
1-1/2"	524041	2	10	109.76
2"	524058	1	5	151.42



## No-Lead Female Adapter Brass Threaded (Brass FPT x CPVC Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	524066	10	100	11.14
3/4"	524074	10	50	13.35
1"	524082	5	25	33.20
1-1/4"	524108	2	10	81.24
1-1/2"	524116	2	10	109.76
2"	524124		5	164.59



## No-Lead Drop Ear Elbow (Brass FPT x CPVC Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2" (3-Ears)	524132	10	50	16.66
1/2" (2-Ears)	565325	5	25	23.04



## CPVC Hub x Copper Sweat Female

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	563536	5	50	12.06
3/4"	563544	5	50	21.01

Disassemble before soldering



## CPVC Adapter (CPVC Hub x Copper Pex Barb)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	522441	10	100	16.41
3/4"	522458	10	100	18.86



## Transition Adapter Tailpiece "O-Ring"

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	520718	10	250	1.67
3/4"	520726	10	250	3.35



## Line Stop (CPVC Hub x CPVC Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	564062	5	25	23.06
3/4"	564369	5	25	23.82



## Stop & Waste with Drain (Hub x Hub)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	564260	5	25	24.91
3/4"	564468	5	25	26.05



## Boiler Drain (Hub x Hose Thread)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	564864	5	25	26.98



## Boiler Drain (FPT x Hose Thread)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2"	564385	5	25	27.35



## Stops (No lead)

Dimension	Item	Inner Pack	Box Qty	List Price
1/2" CPVC Hub x 3/8" Compression (Angle) 1/4 Turn	524736	25	100	25.56



Dimension	Item	Inner Pack	Box Qty	List Price
1/2" CPVC Hub x 3/8" Compression (Straight) 1/4 Turn	524744	25	100	24.47

SOLD PER CARTON QUANTITIES ONLY  
Inner Pack quantities shown are for reference use only

# Notes

This image shows a single sheet of white paper with horizontal blue ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.







# FlowGuard Gold® Pipe & Fittings

## CPVC Special Fittings

### Conditions of sales

In addition to the General Terms and Conditions of Sale found on our website, <https://www.bow-group.com/terms-and-conditions>, the following also applies to all sales of our Wavin products:

### Freight

Freight is prepaid on orders totaling \$2500.00 net.  
All products except ABS Pipe may be combined.

### Minimum Order

The minimum order is \$300.00 net.

### Notice

#### Minimum Order Quantity Policy

Since February 28, 2022, a new order policy was put into effect and implemented.

All FGG pipe must be purchased and shipped in full crates and all FGG fittings and CPVC specialty products must be purchased and shipped in carton quantities only.

Crates and carton quantities are listed in the current FlowGuard Gold® excel list posted on our website at [www.bow-group.com](http://www.bow-group.com).

These changes help alleviate issues in regards to freight loss, shortages and damaged goods we have been experiencing over the past years.

## 10 Year Limited Warranty

Subject to the conditions and limitations in this Limited Warranty, BOW guarantees its FlowGuard Gold® pipe and fittings against defects resulting from faulty manufacturing for 10 years from the initial date of sale by BOW. BOW will not be liable for damages caused by raw materials or component defect failures. Defects and failures must be reported to BOW within 30 days after such failure occurs. The claimant under this Limited Warranty will be required to return the product to BOW at claimant's expense for analysis by BOW. If the conditions of this Limited Warranty are met, BOW will ship, free of charge and freight prepaid, a quantity of product equal to the failed product or will reimburse the purchase price of the failed product at BOW's option. In no case, will claims for labor charges, consequential property damage or personal injury be honored.

This Warranty is the only Warranty made by BOW and is expressly in lieu of all other warranties expressed by anyone or implied, including implied warranties of merchantability or fitness for a particular purpose.

The Limited Warranty will only apply:

1. If the product is installed in accordance with good plumbing and heating practices, applicable code requirements and Wavin's current published installation instructions and,
2. If the product is not misused, abused, kinked, mishandled, damaged, improperly stored, or improperly exposed to UV or exposed to excessive heat, cold or pressure or incompatible media.

# Discover our broad portfolio at wavin.ca

- Water management
- Heating and cooling
- Water and gas distribution
- Waste water drainage



Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose: To Advance Life Around the World.

Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions.

**Wavin** 950 Winter Street, South Entrance 1st Floor, Waltham, MA 02451, United States | 5700 Côte de Liesse Montréal, QC H4T 1B1  
Phone CAN 514-735-7585 / 1800-561-1169 | US 514-735-3632 / 1800-763-3632 |  
E-mail [customer.service@orbia.com](mailto:customer.service@orbia.com) | [wavin.us](http://wavin.us) | [wavin.ca](http://wavin.ca) | [bow-group.com](http://bow-group.com)

© 2025 Wavin Wavin reserves the right to make alterations without prior notice. Due to continuous product development, changes in technical specifications may change. Installation must comply with the installation instructions.

©Montréal 09.2025