

Oxypert™

PE-RT Oxygen Barrier Tubing

Specification Sheet



BOW Groupe
de Plomberie Inc.

Overview

BOW's OXYPERT™ tubing is designed specifically for hydronic heating and hydronic radiant closed loop heating applications. OXYPERT™ tubing can also be used in snow melting applications.

This tubing has an oxygen outer barrier liner which makes it ideal for hydronic and radiant floor heating applications. The function of the outer liner is to limit the oxygen permeation rate through the tubing wall in accordance with DIN 4726 which helps protect ferrous elements in the system from corrosion.

OXYPERT™ tubing is made to CTS (Copper Tube Size) outside dimensions and an SDR (Standard Dimension Ratio) of 9 and is available in nominal sizes 1/2", 5/8", 3/4" and 1". It is available in coils up to 1,000 feet which are foot marked.

OXYPERT™ tubing is not rated for potable water distribution.

Technical Data

Material:

PE-RT (Polyethylene of raised temperature) with EVOH oxygen outer barrier liner

Continuous Working Pressure:

690 kPa (100 PSI) @ 82°C (180° F)

1100 kPa (160 PSI) @ 23°C (73° F)

Standards

ASTM F2623; DIN 4726

Compatible fittings:

ASTM F1807; ASTM F2159

Listings

Listing holder: Bow Plumbing Group Inc.

NSF 14; cNSF®us rfh U.M. Code



August 2025

Orbia's Building and Infrastructure business Wavin is an innovative solutions provider for the global building and infrastructure industry. Backed by more than 60 years of product development experience, Wavin is advancing life around the world by building healthy, sustainable environments for global citizens. Whether it's to improve the distribution of clean drinking water, to make sanitation accessible for everyone, to create climate resilient cities, or to design comfortable living spaces, Wavin collaborates with municipal leaders, engineers, contractors, and installers to help future-proof communities, buildings and homes. Wavin has 12,000+ employees around 65 production sites worldwide, serving over 80 countries through a global sales and distribution network.

Wavin 950 Winter Street, South Entrance 1st Floor, Waltham, MA 02451, United States | 5700 Côte de Liesse Montréal, QC H4T 1B1
Phone CAN 514-735-7585 / 1800-561-1169 | US 514-735-3632 / 1800-763-3632 | E-mail customer.service@orbia.com | wavin.us | wavin.ca

© 2025 Wavin Wavin reserves the right to make alterations without prior notice. Due to continuous product development, changes in technical specifications may change. Installation must comply with the installation instructions.