

Wavin

Pricelist PEX-0626

(Canada)

June 2026, Supersedes PEX-0526



# Pex Pipe System

Potable and Hydronic



**BOW** Groupe  
de Plomberie Inc.

# Pex Pipe System

Potable and Hydronic

- Potable
- Hydronic
- Fittings
- Tools
- Pipe hangers




# Contents

|                                              |           |
|----------------------------------------------|-----------|
| <b>Potable</b>                               | <b>04</b> |
| SuperPEX resistant potable water pipe        | 04        |
| BowPEX mono layer natural colored pex pipe   | 05        |
| Pex Potable Water Tubing with Trace Wire     | 05        |
| <b>Hydronic</b>                              | <b>06</b> |
| OxyPex oxygen barrier radiant heating pipe   | 06        |
| OxyPert temp resistant hydronic heating pipe | 07        |
| <b>Fittings</b>                              | <b>08</b> |
| Polyalloy Insert Fittings                    | 08        |
| No-Lead Brass Fittings                       | 09        |
| No-Lead Stops & Valves                       | 10        |
| Copper Elbows and Manifolds                  | 11        |
| Rings & Sleeves                              | 11        |
| <b>Tools</b>                                 | <b>12</b> |
| <b>Pipe Hangers</b>                          | <b>13</b> |
| <b>Conditions of Sale</b>                    | <b>14</b> |
| <b>Warranty</b>                              | <b>15</b> |


**PRESSURE SYSTEM:**  
100 PSI @ 82°C (180°F)  
160 PSI @ 23°C (73°F)

**ASTM F876/F877**  
AWWA C904 (1/2" and above)  
CSA B137.5

Highest Chlorine Resistance



## Lengths



| Dimension Nominal | Dimension O.D. | Cold/Hot White | Cold Blue | Hot Red | Lengths | QTY/PKG | QTY Crate | Price Per 100' |
|-------------------|----------------|----------------|-----------|---------|---------|---------|-----------|----------------|
| 1/2"              | .625           | 588699         | 587774    | 587782  | 10'     | 250'    | 10,000'   | 214.92         |
|                   |                | 587220         | 587493    | 587485  | 12'     | 300'    | 13,500'   | 214.92         |
|                   |                | 588707         | 589663    | 589903  | 20'     | 500'    | 20,000'   | 214.92         |
| 3/4"              | .875           | 588780         | 587790    | 587808  | 10'     | 100'    | 5,000'    | 385.97         |
|                   |                | 587592         | 587709    | 587691  | 12'     | 120'    | 6,600     | 385.97         |
|                   |                | 588798         | 589671    | 589911  | 20'     | 200'    | 10,000'   | 385.97         |
| 1"                | 1.125          | 586503         |           |         | 12'     | 60'     | 3,300     | 563.61         |
|                   |                | 587147         | 587402    | 587741  | 20'     | 100'    | 5,500'    | 563.61         |

## SmartCoil



**SmartCoil™**

Saves time, ensures precision! SmartCoil packaging allows you to pull the desired length of the pipe while keeping the rest wound and wrapped for future use!

| Dimension Nominal | Dimension O.D. | Cold/Hot White | Cold Blue | Hot Red | Coils | QTY/PKG | QTY Crate | Price Per 100' |
|-------------------|----------------|----------------|-----------|---------|-------|---------|-----------|----------------|
| 3/8"              | .500           | 588574         |           |         | 20'   | 200'    | 4,800'    | 190.81         |
|                   |                | 588392         | 587840    | 587881  | 100'  | 100'    | 5,000'    | 190.81         |
|                   |                |                | 587857    | 587899  | 500'  | 500'    | 15,000'   | 190.81         |
| 1/2"              | .625           | 588830         | 587014    |         | 20'   | 160'    | 3,840'    | 214.92         |
|                   |                | 588848         | 587022    | 587055  | 50'   | 50'     | 4,000'    | 214.92         |
|                   |                | 588855         | 589705    | 589804  | 100'  | 100'    | 5,000'    | 214.92         |
|                   |                | 588863         | 589713    | 589812  | 250'  | 250'    | 7,500'    | 214.92         |
|                   |                | 588871         | 589721    | 589820  | 300'  | 300'    | 9,000'    | 214.92         |
|                   |                | 588889         | 589739    | 589838  | 500'  | 500'    | 6,000'    | 214.92         |
|                   |                | 588897         | 589747    | 589846  | 1000' | 1000'   | 8,000'    | 214.92         |
|                   |                |                |           |         |       |         |           |                |
| 3/4"              | .875           | 588905         |           |         | 20'   | 100'    | 2,400'    | 385.97         |
|                   |                | 588921         |           |         | 50'   | 50'     | 3,000'    | 385.97         |
|                   |                | 588939         | 589754    | 589853  | 100'  | 100'    | 4,000'    | 385.97         |
|                   |                | 588947         | 589762    | 589861  | 250'  | 250'    | 3,750'    | 385.97         |
|                   |                | 588954         | 589770    | 589879  | 300'  | 300'    | 4,500'    | 385.97         |
|                   |                | 588962         | 589788    | 589887  | 500'  | 500'    | 4,000'    | 385.97         |
|                   |                | 588970         | 589929    | 589937  | 1000' | 1000'   | 5,000'    | 385.97         |
|                   |                |                |           |         |       |         |           |                |
| 1"                | 1.125          | 587154         | 587717    | 587758  | 100'  | 100'    | 3,000'    | 563.61         |
|                   | 1.125          | 587162         | 587733    | 587766  | 300'  | 300'    | 2,400'    | 563.61         |
|                   | 1.125          | 587170         | 587956    |         | 500'  | 500'    | 2,500'    | 563.61         |

Potable

# BowPEX

Mono Layer Natural Colored Pex Pipe



- ② For hot and cold water distribution
- ② Chlorine resistant
- ② Joints can be made with crimp rings or BOW's stainless steel press sleeves
- ② Lead free

CSA B137.5  
ASTM F876/F877

SmartCoil™



SmartCoil™

## SmartCoil

| Dimension Nominal | Dimension O.D. | Item   | Coils | QTY/PKG | QTY Pallet | Price Per 100' |
|-------------------|----------------|--------|-------|---------|------------|----------------|
| 1/8"              | .250           | 580241 | 500'  | 500     | 25,000     | 132.21         |
| 1/4"              | .375           | 588376 | 100'  | 100     | 8,000      | 146.94         |

# Bow SuperPEX

Pex Potable Water Tubing With Tracer Wire



Suitable for direct burial in the ground to facilitate the detection and tracing of underground pipe systems.

CSA B137.5  
ASTM F876  
AWWA C904

SmartCoil™



SmartCoil™

## SmartCoil (Blue) 14 GAUGE

| Dimension Nominal | Dimension O.D. | Item   | Coils | QTY/PKG | QTY Pallet | Price Per 100' |
|-------------------|----------------|--------|-------|---------|------------|----------------|
| 3/4"              | .875           | 586941 | 60'   | 60'     | 1800       | 399.47         |
| 3/4"              | .875           | 586958 | 75'   | 75'     | 2250       | 399.47         |
| 1"                | 1.125          | 586966 | 60'   | 60'     | 2400       | 583.33         |
| 1"                | 1.125          | 586974 | 75'   | 75'     | 3000       | 583.33         |
| 1"                | 1.125          | 586917 | 100'  | 100'    | 3000       | 583.33         |

# OxyPex

Barrier Pex Tubing (Red)

**Oxypex**

**PRESSURE SYSTEM:**  
100 PSI @ 82°C (180°F)  
160 PSI @ 23°C ( 73°F)

**ASTM F876/F877**  
DIN 4726  
CSA B137.5

**SmartCoil™**


## Lengths

| Dimension Nominal | Dimension O.D. | Item   | Lengths | QTY/PKG | QTY Crate | Price Per 100' |
|-------------------|----------------|--------|---------|---------|-----------|----------------|
| 1/2"              | .625           | 588764 | 20'     | 500'    | 20,000'   | 273.29         |
| 3/4"              | .875           | 586727 | 12'     | 120'    | 6,600'    | 477.15         |
|                   |                | 588772 | 20'     | 200'    | 10,000'   | 477.15         |
| 1"                | 1.125          | 587378 | 20'     | 100'    | 5,500'    | 971.67         |

## SmartCoil


**SmartCoil™**

| Dimension Nominal | Dimension O.D. | Item   | Coils | QTY/PKG | QTY Crate | Price Per 100' |
|-------------------|----------------|--------|-------|---------|-----------|----------------|
| 3/8"              | .500           | 587923 | 100'  | 100'    | 5,000'    | 242.90         |
|                   |                | 587246 | 300'  | 300'    | 12,000'   | 242.90         |
|                   |                | 587253 | 500'  | 500'    | 7,500'    | 242.90         |
|                   |                | 587261 | 1000' | 1000'   | 10,000'   | 242.90         |
| 1/2"              | .625           | 589978 | 100'  | 100'    | 5,000'    | 273.29         |
|                   |                | 588137 | 250'  | 250'    | 7,500'    | 273.29         |
|                   |                | 587410 | 300'  | 300'    | 9,000'    | 273.29         |
|                   |                | 588475 | 500'  | 500'    | 6,000'    | 273.29         |
|                   |                | 588145 | 1000' | 1000'   | 8,000'    | 273.29         |
|                   |                | 587816 | 1200' | 1200'   | 8,400'    | 273.29         |
| 5/8"              | .750           | 587931 | 100'  | 100'    | 4,000'    | 431.60         |
|                   |                | 587279 | 300'  | 300'    | 4,500'    | 431.60         |
|                   |                | 587287 | 400'  | 400'    | 4,800'    | 431.60         |
|                   |                | 587295 | 500'  | 500'    | 5,000'    | 431.60         |
|                   |                | 587303 | 1000' | 1000'   | 5,000'    | 431.60         |
| 3/4"              | .875           | 587964 | 100'  | 100'    | 4,000'    | 477.15         |
|                   |                | 588178 | 250'  | 250'    | 3,750'    | 477.15         |
|                   |                | 587949 | 300'  | 300'    | 4,500'    | 477.15         |
|                   |                | 588483 | 500'  | 500'    | 4,000'    | 477.15         |
|                   |                | 588251 | 1000' | 1000'   | 5,000'    | 477.15         |
| 1"                | 1.125          | 587477 | 100'  | 100'    | 3,000'    | 971.67         |
|                   |                | 587188 | 300'  | 300'    | 2,400'    | 971.67         |
|                   |                | 587386 | 500'  | 500'    | 2,500'    | 971.67         |

# Polyalloy Fittings

For Use With SuperPEX Pipe

ASTM F2159



## Tee

(Barb x Barb x Barb)

| Dimension          | Item   | STD/<br>PACK | Carton | List<br>Price |
|--------------------|--------|--------------|--------|---------------|
| 1/2"               | 503102 | 25           | 250    | 3.60          |
| 1/2" x 1/2" x 3/4" | 503169 | 25           | 250    | 5.34          |
| 3/4"               | 503110 | 25           | 250    | 5.17          |
| 3/4" x 1/2" x 1/2" | 503177 | 25           | 250    | 5.01          |
| 3/4" x 1/2" x 3/4" | 503185 | 25           | 250    | 5.01          |
| 3/4" x 3/4" x 1/2" | 503193 | 25           | 250    | 5.01          |
| 1"                 | 503201 | 10           | 100    | 25.18         |
| 1" x 3/4" x 3/4"   | 503227 | 10           | 100    | 26.01         |
| 1" x 1" x 1/2"     | 503235 | 10           | 100    | 26.01         |
| 1" x 1" x 3/4"     | 503219 | 10           | 100    | 19.61         |

## 90° Elbow

(Barb x Barb)



| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 503300 | 25           | 250    | 2.91          |
| 3/4"        | 503318 | 25           | 250    | 5.03          |
| 3/4" x 1/2" | 503367 | 25           | 250    | 4.39          |
| 1"          | 503375 | 10           | 100    | 19.61         |

## Coupling

(Barb x Barb)



| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 503011 | 25           | 250    | 1.99          |
| 3/4"        | 503029 | 25           | 250    | 2.92          |
| 3/4" x 1/2" | 503037 | 25           | 250    | 4.06          |
| 1"          | 503458 | 10           | 100    | 10.20         |
| 1" x 3/4"   | 503466 | 10           | 100    | 10.35         |

## Plug

(Barb)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 503409 | 25           | 250    | 1.98          |
| 3/4"      | 503417 | 25           | 250    | 2.55          |
| 1"        | 503425 | 10           | 100    | 8.36          |

## Male Adapter

(Pex x MPT)



| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 503045 | 25           | 250    | 8.40          |
| 1/2" x 3/4" | 503078 | 25           | 250    | 9.71          |
| 3/4"        | 503052 | 25           | 250    | 10.12         |
| 3/4" x 1/2" | 503086 | 25           | 250    | 9.71          |

## Female Faucet Adapter

(Swivel x NPSM)




| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 503060 | 25           | 250    | 10.02         |

## Polyalloy Manifolds No Lead

For PEX Plumbing and Heating Systems. High impact and corrosion resistant (NSF Approved).

| Branches | Dimension                 | Item   | STD/<br>PACK | CTN | LIST<br>PRICE |
|----------|---------------------------|--------|--------------|-----|---------------|
| 2 (1/2") | 3/4" Barb Closed End      | 503474 | 5            | 150 | 13.78         |
| 3 (1/2") | 3/4" Barb Closed End      | 503482 | 5            | 90  | 17.64         |
| 4 (1/2") | 3/4" Barb Closed End      | 503490 | 5            | 60  | 23.75         |
| 6 (1/2") | 1" Barb Closed End        | 503508 | 5            | 30  | 31.49         |
| 2 (1/2") | 3/4" x 3/4" Barb Open End | 503516 | 5            | 150 | 14.29         |
| 3 (1/2") | 3/4" x 3/4" Barb Open End | 503524 | 5            | 90  | 19.28         |
| 4 (1/2") | 3/4" x 3/4" Barb Open End | 503532 | 5            | 60  | 24.61         |
| 6 (1/2") | 3/4" x 3/4" Barb Open End | 503540 | 5            | 30  | 27.73         |



# No Lead Brass Fittings

ASTM F1807



## Tee

(Barb x Barb x Barb)

| Dimension          | Item   | STD/<br>PACK | Carton | List<br>Price |
|--------------------|--------|--------------|--------|---------------|
| 1/2"               | 524439 | 25           | 250    | 8.89          |
| 1/2" x 1/2" x 3/4" | 524447 | 25           | 250    | 16.49         |
| 3/4"               | 524454 | 25           | 250    | 14.78         |
| 3/4" x 1/2" x 1/2" | 524462 | 25           | 250    | 14.72         |
| 3/4" X 1/2" X 3/4" | 524470 | 25           | 250    | 13.29         |
| 3/4" x 3/4" x 1/2" | 524488 | 25           | 250    | 13.60         |
| 3/4" x 3/4" x 1"   | 524850 | 10           | 50     | 27.42         |
| 1"                 | 524504 | 10           | 50     | 25.22         |
| 1" x 3/4" x 1/2"   | 524843 | 10           | 50     | 27.42         |
| 1" X 3/4" X 3/4"   | 524512 | 10           | 50     | 26.27         |
| 1" x 3/4" x 1"     | 524835 | 10           | 50     | 28.18         |
| 1" X 1" X 1/2"     | 524520 | 10           | 50     | 20.28         |
| 1" x 1" x 3/4"     | 524538 | 10           | 50     | 33.04         |

## Elbow 90°

(Barb X Barb)



| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 524363 | 25           | 250    | 7.51          |
| 3/4"        | 524371 | 25           | 250    | 11.41         |
| 3/4" x 1/2" | 524389 | 25           | 250    | 9.76          |
| 3/4" x 1"   | 524405 | 10           | 50     | 27.97         |
| 1"          | 524397 | 10           | 50     | 18.77         |

## Elbow 90°

(Barb X MPT)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 524678 | 10           | 50     | 20.13         |
| 3/4"      | 524827 | 25           | 100    | 24.09         |

## Elbow 90°

(Female Sweat X Pex Barb)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 524801 | 25           | 250    | 11.74         |
| 3/4"      | 524819 | 25           | 250    | 27.11         |

## Elbow 90°

(Male Sweat X Pex Barb)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 524777 | 25           | 250    | 11.83         |
| 3/4"      | 524785 | 25           | 250    | 24.09         |

## Wing Elbow

(Barb x FPT)



| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 524322 | 25           | 100    | 23.93         |
| 3/4"        | 524348 | 25           | 100    | 50.64         |
| 3/4" x 1/2" | 524330 | 25           | 100    | 45.07         |

## Coupling

(Barb x Barb)



| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 524561 | 25           | 250    | 4.48          |
| 3/4"        | 524579 | 25           | 250    | 6.58          |
| 3/4" x 1/2" | 524587 | 25           | 250    | 7.92          |
| 1"          | 524603 | 10           | 50     | 13.39         |
| 1" x 3/4"   | 524595 | 10           | 50     | 12.45         |

## Coupling

(Pex Barb X Poly-B Barb)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 524546 | 25           | 250    | 11.22         |
| 3/4"      | 524553 | 25           | 250    | 16.24         |
| 1"        | 524900 | 10           | 50     | 28.52         |

## Sweat Adapter

(Barb X Male)



| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 524645 | 25           | 250    | 5.28          |
| 3/4"        | 524652 | 25           | 250    | 9.76          |
| 3/4" x 1/2" | 524751 | 25           | 250    | 11.68         |
| 1"          | 524660 | 10           | 50     | 20.21         |

## Sweat Adapter

(Barb X Female)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 524140 | 25           | 250    | 6.49          |
| 3/4"      | 524157 | 25           | 250    | 10.87         |
| 1"        | 524165 | 10           | 50     | 16.49         |
| 1" x 3/4" | 524173 | 10           | 50     | 27.82         |

## Male Adapter

(Barb X MPT)




| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2"        | 524181 | 25           | 250    | 11.19         |
| 1/2" x 3/4" | 524207 | 25           | 250    | 16.30         |
| 3/4"        | 524215 | 25           | 250    | 15.79         |
| 3/4" x 1/2" | 524223 | 25           | 250    | 14.72         |
| 3/4" x 1"   | 524983 | 10           | 50     | 34.48         |
| 1"          | 524231 | 10           | 50     | 36.23         |
| 1" x 3/4"   | 524249 | 10           | 50     | 25.59         |

# No Lead Brass Fittings

ASTM F1807

## Female Adapter



(Barb X FPT)

| Dimension          | Item   | STD/<br>PACK | Carton | List<br>Price |
|--------------------|--------|--------------|--------|---------------|
| 3/8" x 1/2"        | 524256 | 25           | 250    | 16.12         |
| 1/2"               | 524264 | 25           | 250    | 14.71         |
| 1/2" x 3/4"        | 524306 | 25           | 250    | 21.25         |
| 3/4"               | 524272 | 25           | 250    | 20.46         |
| 3/4" x 1/2"        | 524280 | 25           | 250    | 19.42         |
| 3/4" Barb x Swivel | 524314 | 25           | 250    | 36.49         |
| 3/4" x 1"          | 524355 | 10           | 50     | 33.21         |
| 1"                 | 524991 | 10           | 50     | 31.19         |

## Swivel Adapter



(Barb X NPSM Swivel 90°)

| Dimension  | Item   | STD/<br>PACK | Carton | List<br>Price |
|------------|--------|--------------|--------|---------------|
| 1/2" x 90° | 524793 | 25           | 250    | 11.93         |

## Swivel Adapter



(Barb X NPSM)

| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2" x 1/2" | 524769 | 25           | 250    | 12.06         |

## Plug (Barb)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 524611 | 25           | 250    | 3.78          |
| 3/4"      | 524629 | 25           | 250    | 5.75          |
| 1"        | 524637 | 10           | 50     | 8.83          |

# No Lead Stops & Valves

## Valves



Barb x Hose (Handles may vary)

| Dimension        | Item   | STD/<br>PACK | Carton | List<br>Price |
|------------------|--------|--------------|--------|---------------|
| 1/2" Angle/Brass | 524728 | 25           | 100    | 17.54         |

## Stops



Barb x Compression

| Dimension                   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------------------------|--------|--------------|--------|---------------|
| 1/2" x 3/8"<br>Angle/Chrome | 524686 | 25           | 100    | 14.82         |

## Valves



Barb x Barb

| Dimension               | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------------------|--------|--------------|--------|---------------|
| 1/2" Straight/<br>Brass | 524702 | 25           | 100    | 16.26         |
| 3/4" Straight/<br>Brass | 524710 | 25           | 100    | 18.43         |

## "Push-Fit" 1/4 Turn Ball Valve

For use with PEX, CPVC CTS and Copper Tubing.  
Ideal for adding a new line to an existing line by tapping into a 1/2" nominal CTS line (PEX, CPVC or Copper).



| Dimension                                                   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------------------------------------------------------|--------|--------------|--------|---------------|
| 1/2" Push-Fit x 1/2"<br>Push-Fit x 1/4" O.D.<br>Compression | 524868 | 10           | 100    | 21.69         |

## Icemaker Installation Kit

Can also be used for Hot and Cold Water Dispensers or Humidifiers.  
Includes 1/2" "Push-Fit" quarter turn ball valve.  
All you need in one kit!



| Dimension                    | Item   | STD/<br>PACK | Carton | List<br>Price |
|------------------------------|--------|--------------|--------|---------------|
| Icemaker<br>Installation Kit | 181214 | 6            | 6      | 26.99         |



### Package Contains:

- 1 1/8" X 25' Bowpex Pipe (Coil)
- 1 Push-Fit 1/2 Turn Ball Valve
- 1 Disconnect Clip (1/2")
- 1 Chrome Plated Compression Nut (Extra)
- 1 Copper Compression Sleeve
- 2 Plastic Ferrules

# Copper Elbows & Manifolds

ASTM F1807

## Stub Out Elbow



Without Support

| Dimension               | Item    | Carton | List Price |
|-------------------------|---------|--------|------------|
| 1/2" BARB x 3-1/2" x 6" | *540807 | 25     | 14.46      |
| 1/2" BARB x 3-1/2" x 8" | *540997 | 25     | 16.66      |

## Stub Out Elbow



With Support

| Dimension               | Item    | Carton | List Price |
|-------------------------|---------|--------|------------|
| 1/2" BARB x 3-1/2" x 6" | *540815 | 25     | 19.32      |
| 1/2" BARB x 3-1/2" x 8" | *541011 | 25     | 22.27      |
| 3/4" BARB x 4-1/2" x 8" | *541201 | 25     | 32.09      |

## Tub Valve Adapter



1/2 Barb x Sweat

| Dimension | Item    | Carton | List Price |
|-----------|---------|--------|------------|
| 1/2"      | *510818 | 25     | 8.84       |

\*Not NSF Listed

## Copper Manifolds

For PEX Plumbing and Heating Systems

All models have 1" nominal type "L" Copper Trunk and 1/2" PEX Barb connections.

| Branches  | Dimension                    | Item    | Carton | List Price |
|-----------|------------------------------|---------|--------|------------|
| 4 (1/2")  | 3/4" Barb x Closed End       | *540922 | 25     | 60.18      |
| 4 (1/2")  | 3/4" Sweat Male x Closed End | *541029 | 25     | 60.18      |
| 5 (1/2")  | 3/4" Barb x Closed End       | *540930 | 25     | 68.76      |
| 6 (1/2")  | 3/4" Barb x Closed End       | *540948 | 25     | 76.85      |
| 6 (1/2")  | 3/4" Sweat Male x Closed End | *541037 | 25     | 80.23      |
| 8 (1/2")  | 3/4" Barb x Closed End       | *540955 | 25     | 99.47      |
| 8 (1/2")  | 3/4" Sweat Male x Closed End | *541052 | 25     | 99.06      |
| 9 (1/2")  | 3/4" Barb x Closed End       | *540963 | 25     | 113.09     |
| 9 (1/2")  | 3/4" Sweat Male x Closed End | *541060 | 25     | 113.23     |
| 10 (1/2") | 3/4" Barb x Closed End       | *540971 | 25     | 119.03     |
| 12 (1/2") | 3/4" Barb x Closed End       | *540989 | 25     | 140.82     |



# Rings & Sleeves

## Metallic Crimp Rings

(Copper)



| Dimension | Item   | STD/<br>PACK | Carton | List Price |
|-----------|--------|--------------|--------|------------|
| 1/2"      | 510172 | 100          | 1000   | 1.30       |
| 3/4"      | 510180 | 100          | 500    | 1.43       |
| 1"        | 510198 | 100          | 500    | 2.02       |

## Stainless Steel Press Sleeves



| Dimension | Item   | STD/<br>PACK | Carton | List Price |
|-----------|--------|--------------|--------|------------|
| 1/2"      | 511808 | 100          | 1000   | 1.21       |
| 3/4"      | 511816 | 100          | 600    | 1.34       |
| 1"        | 511824 | 50           | 350    | 1.75       |

# Tools

For Metallic Crimp Rings

## Compact Crimp Tools (Angle)

(Crimp Gauge Included)

| Dimension            | Item   | STD/<br>PACK | Carton | List<br>Price |
|----------------------|--------|--------------|--------|---------------|
| 1/2"                 | 563734 | 2            | 10     | 189.70        |
| 3/4"                 | 563411 | 2            | 10     | 199.53        |
| 1/2" & 3/4"<br>Combo | 563916 | 2            | 10     | 261.65        |
| 1"                   | 565283 | 1            | 10     | 261.65        |



## Crimp Tools

(Crimp Gauge Included)

| Dimension            | Item   | STD/<br>PACK | Carton | List<br>Price |
|----------------------|--------|--------------|--------|---------------|
| 1/2"                 | 564518 | 2            | 10     | 183.16        |
| 3/4"                 | 564617 | 2            | 10     | 183.16        |
| 1"                   | 560755 | 1            | 10     | 209.33        |
| 1/2" & 3/4"<br>Combo | 564286 | 2            | 10     | 202.78        |



## Pex Ring Cutter

| Dimension  | Item   | STD/<br>PACK | Carton | List Price |
|------------|--------|--------------|--------|------------|
| 1/2" to 1" | 563742 | 1            | 10     | 103.02     |



## Mini Crimp Tool



| Dimension  | Item   | STD/<br>PACK | Carton | List Price |
|------------|--------|--------------|--------|------------|
| 3/8" to 1" | 564351 | 3            | 3      | 124.58     |

# Tools

For Stainless Steel Sleeves

Tool forms two unique circular grooves for leak-free crimp connections



## Compact Crimp Tools (Angle)

For stainless steel sleeves

| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 565457 | 1            | 20     | 189.70        |
| 3/4"      | 565481 | 1            | 20     | 199.53        |
| 1"        | 565572 | 1            | 10     | 261.65        |



## Compact Crimp Tools

For stainless steel sleeves

| Dimension            | Item   | STD/<br>PACK | Carton | List<br>Price |
|----------------------|--------|--------------|--------|---------------|
| 1/2"                 | 565382 | 1            | 10     | 183.16        |
| 3/4"                 | 565416 | 1            | 10     | 183.16        |
| 1"                   | 565440 | 1            | 10     | 209.33        |
| 1/2" & 3/4"<br>Combo | 565424 | 1            | 10     | 202.78        |



## Go-Gauge

For stainless steel sleeves

| Dimension   | Item   | STD/<br>PACK | Carton | List<br>Price |
|-------------|--------|--------------|--------|---------------|
| 1/2" & 3/4" | 181065 | 1            | 25     | 24.00         |
| 1"          | 181073 | 1            | 10     | 24.00         |



## Tools




### Tube Cutter

For Pex & CpvC Tubing

| Dimension       | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------------|--------|--------------|--------|---------------|
| 3/8" to 1" O.D. | 581991 | 5            | 100    | 36.56         |



| Dimension            | Item   | STD/<br>PACK | Carton | List<br>Price |
|----------------------|--------|--------------|--------|---------------|
| Replacement<br>Blade | 559930 | 1            | 1      | 24.54         |



### Crimp Gauge "Go/No Go"

| Dimension                | Item   | STD/<br>PACK | Carton | List<br>Price |
|--------------------------|--------|--------------|--------|---------------|
| 3/8", 1/2",<br>3/4" & 1" | 560441 | 1            | 1      | 24.00         |

## Pipe Hangers

### J-Strap Hangers

(Nails Included)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 541540 | 100          | 1000   | .51           |
| 3/4"      | 541649 | 100          | 1000   | .57           |
| 1"        | 541144 | 50           | 500    | 1.10          |

### Suspension Pipe Clamps



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 560110 | 100          | 1000   | .63           |
| 3/4"      | 560219 | 100          | 500    | .68           |
| 1"        | 560318 | 50           | 250    | 1.43          |


### Plastic U-Strap Hangers

(Nails not included)



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 541342 | 100          | 1000   | .29           |
| 3/4"      | 541441 | 100          | 1000   | .33           |

### Pipe Insulators



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 562660 | 50           | 250    | 2.26          |
| 3/4"      | 562876 | 50           | 250    | 2.26          |

### Click Hangers



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1-1/4"    | 562561 | 25           | 250    | 5.46          |
| 1-1/2"    | 562637 | 25           | 25     | 9.83          |

### Split Tube Clamps



| Dimension | Item   | STD/<br>PACK | Carton | List<br>Price |
|-----------|--------|--------------|--------|---------------|
| 1/2"      | 560383 | 100          | 1000   | 1.18          |
| 3/4"      | 561514 | 100          | 500    | 1.26          |
| 1-1/4"    | 561936 | 25           | 250    | 3.75          |
| 1-1/2"    | 562017 | 25           | 250    | 4.66          |

## Notes

[illegible]



## Potable & Hydronic Pex Systems

### Conditions of sales

In addition to the General Terms and Conditions of Sale found on our website, <https://www.bow-group.com/terms-and-conditions>, the following also applies to all sales of our Wavin products:

### Freight

Freight is prepaid on orders totaling \$2500.00 net.  
All products except ABS Pipe may be combined.

### Minimum Order

The minimum order is \$300.00 net.



## 25 Year Limited Warranty

Subject to the conditions and limitations in this Limited Warranty, BOW guarantees its BOW SUPERPEX, OXYPEX, BOWPEX, OXYPERT pipe, as well as its Polyalloy insert fittings, against defects resulting from faulty manufacturing for 25 years from the initial date of sale by BOW. BOW will not be liable for damages caused by raw materials or component defect failures.

Defects and failures must be reported to BOW within 30 days after such failure occurs. The claimant under this Limited Warranty will be required to return the product to BOW at claimant's expense for analysis by BOW. If the conditions of this Limited Warranty are met, BOW will ship, free of charge and freight prepaid, a quantity of product equal to the failed product or will reimburse the purchase price of the failed product at BOW's option. In no case, will claims for labor charges, consequential property damage or personal injury be honored.


This Warranty is the only Warranty made by BOW and is expressly in lieu of all other warranties expressed by anyone or implied, including implied warranties of merchantability or fitness for a particular purpose.

The Limited Warranty will only apply:

1. If the product is installed in accordance with good plumbing and heating practices, applicable code requirements and BOW's current published installation instructions and,
2. If the product is not misused, abused, kinked, mishandled, damaged, improperly stored, or improperly exposed to UV or exposed to excessive heat, cold or pressure or incompatible media.

# Discover our broad portfolio at wavin.ca

- Water management
- Heating and cooling
- Water and gas distribution
- Waste water drainage



Wavin is part of Orbia, a community of companies working together to tackle some of the world's most complex challenges. We are bound by a common purpose: To Advance Life Around the World.



Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions.

**Wavin** 950 Winter Street, South Entrance 1st Floor, Waltham, MA 02451, United States | 5700 Côte de Liesse Montréal, QC H4T 1B1  
Phone CAN 514-735-7585 / 1800-561-1169 | US 514-735-3632 / 1800-763-3632 |  
E-mail customer.service@orbia.com | wavin.us | wavin.ca

© 2026 Wavin Wavin reserves the right to make alterations without prior notice. Due to continuous product development, changes in technical specifications may change. Installation must comply with the installation instructions.

©Montréal 6.2026